

MODEL :		TYPE
PROJECT :		
PREPARED BY :	DATE :	


## SERIES SPECIFICATIONS

ABF SERIES

The ABF series bath fans are high performance, bath fans designed to exhaust air quietly and efficiently.



## LINE DRAWING



## CONSTRUCTION

Housing Material  
26GA galvanized steel

Motor Type  
Centrifugal type blower wheel

Duct Diameter  
4" & 5"

Blower Wheel  
Centrifugal type

Collar  
4" & 5" duct adapter included.

Grill Material  
Polymeric resin 6" Trim

Grill Mounting  
Torsion spring clips

Overload Protection  
Built-in overload disconnect

## ELECTRICAL SPECIFICATIONS

Input Voltage  
120 VAC

Frequency  
60 Hz

Fan Wattage  
28W



APPLICATION AND PERFORMANCE SPECIFICATION INFORMATION IS SUBJECT TO CHANGE WITHOUT NOTIFICATION

660 NW PEACOCK BLVD. | PORT ST. LUCIE, FL 34986 | TEL: 772.879.0178 | TAMLITEUSA.COM




MODEL :		TYPE
PROJECT :		
PREPARED BY :	DATE :	

**ELECTRICAL SPECIFICATIONS CONT.**

Static Pressure Min. 0.1	Static Pressure Max. 0.25	Air Volume (CFM) Min. 80
Air volume (CFM) Max. 63	Sones 1.2	Max Lamp Wattage 26W CFL

**PERFORMANCE SPECIFICATIONS**



**CERTIFICATIONS/WARRANTY**

Listing  
ETL Listed

Location Rating:  
Suitable for Damp locations

**Warranty**

Guaranteed for one year from the purchase date of the product, against mechanical defects in manufacturing.





MODEL :		TYPE
PROJECT :		
PREPARED BY :	DATE :	

ORDERING INFORMATION

Part Number: ABF80R

ABF	80	R
SERIES	CFM	OPTIONS
ABF	[80] : 80 CFM	[R] : Recessed

